## **QUOTATION NOTICE**

Sealed, competitive quotations are invited for the purchase of listed laboratory Equipments for Science Departments of college. The last date of the quotations to be received in the College office is 27th May 2023 at 10 am.

K.R. Puram

20/05/2022



Dr. AMRINGIPAL.
Principal
NSS College ,Cherthala

## NSS COLLEGE CHERTHALA

## List of Instruments 2023-2024

Sl	Name of equipment with specification	Qty
No		
1.	Vernier Calipers	3
2.	Torsion pendulum apparatus brass disc 125mm diameter and 12mm thick, Aluminium ring of diameter	2
	exactly 125mm has two pins which fit into two cavities –	
	heavy pattern	
3.	Liquid lens arrangement with glass mirror, lens,	4
	retort stand with pointer, meter scale etc	·
4.	High quality durable rheostat – full metal parts, glass	1
	enamel coating, 30 cm length,5cm dia $500\Omega$ ,	
5.	High quality durable rheostat – full metal parts, glass	2
	enamel coating, 30 cm length,5cm dia 120 $\Omega$	
6.	High quality durable rheostat – full metal parts, glass	2
	enamel coating, 30 cm length,5cm dia $70\Omega$ ,	
7.	Good quality True RMS Digital Multimeter - For Ripple	2
	Factor Measurements, AC Voltage Range: 200mV to	
	750V, DC Voltage Range: 200mV - 1000 V, AC Current	
	Range: 200µA - 20 A, 3 ½ Digit with Backlight, 2000	
	Count Non Contact Voltage (NCV)	2
8.	Good quality milliammeter, wide dial (10x8cm), more sensitive, 0-500mA	2
9.	Good quality milliammeter, wide dial (10x8cm), more	2
	sensitive, 0-10mA	
10.	Good quality Voltmeter, wide dial (10x8cm), more	2
	sensitive, 0-2V	
11.	Good quality Voltmeter, wide dial (10x8cm), more	2
	sensitive, 0-10V	
12.		1
	designed for Physics lab, output short circuit protection	
	with indication, full metal body, output voltages 1.08V,	
	1.46V,2-12V, -15 to +15 V for op amp experiments,	
	Daniell cell and Leclanche cell electronic replacement, 2A	
12	output.	1
13.	1 2	1
	aluminium or steel turf bakelite case with 2 terminals, magnanin Coil, $1\Omega$	
14.		1
14.	aluminium or steel turf bakelite case with 2 terminals,	1
	magnanin Coil, $2\Omega$	
15.	DCC Wire high class double cotton wire generally used in	1
	lab for connections -500gm coil	
16.		3
	& Fly Back Action in metal body white powder coated	